SOPS76ECO

30” Built-In Stainless Steel Multifunction Oven

True Fan Convection | Rotary Dial Knobs | Telescopic Runners | Catalytic Clean

AVAILABLE FINISHES / COLOUR OPTIONS

SOPS76ECO
Stainless Steel

KEY FEATURES

Stainless Steel Design
With a sleek stainless steel finish, this Contemporary style oven is well-suited to a variety of kitchen designs. It’s distinctive and timeless, whether on its own or part of a matching appliance set.

True Fan Convection
Achieve faster and more even results with a convection fan and third heating element that circulates air to cook more efficiently.

Sized to Suit
Prepare multiple dishes including roasts, pastries, casseroles, and more with a large capacity of 4.3 cubic feet

Halogen Oven Lighting
See your souffle's rise without opening the door with halogen oven lighting.

Catalytic Clean
This oven features special catalytic liners inside the oven cavity, during the cleaning cycle, the oven is heated to a high degree which burns off and soften excess grease deposits. Simply wipe away any residue with a damp cloth.

Accessories Included
Full extension telescopic rails (1-pair), Reversible grill insert (1), Chrome oven racks (2), Grill / Roasting pan.
Bottom Vent Grill (7427640 available option)

GENERAL PROPERTIES

Fuel Type	Electric, Multifunction Oven
Style	Single Wall Oven, 24" High
Colour	Stainless Steel
Handle	Stainless Steel Handle
Control Type	Rotary Control Knobs
Number of Rack Positions	5
Cleaning Type	Heat-activated catalytic liners for a continuous clean

CAPACITY

Oven Interior Capacity	4.3 Cu. Ft. (120L) Capacity

FEATURES

Number of Cooking Functions	5 Incl. True Fan Convection
Cooking Technology	Hot Air Cooking Technology
Cooling Fan	Yes
Oven Power Indicator Pilot Light	Yes
Temperature Indicator Pilot Light	Yes
Oven Interior Lighting	Halogen Lighting
Oven Door	Double Glazed Down fold Removable Door

OVEN FUNCTIONS

True Fan Convection, High Bake, Grilling, Turbo Grilling, Fast Grilling, Fan Assist, Pizza Setting, Defrost, Conventional Cooking.

TECHNICAL DETAILS

Wattages	4580W
Electrical Requirements	208-240 V / 60Hz / 30 Amp
Power Cord	*Supplied with a 5ft electrical cable and must be hardwired

DIMENSIONS

Product Dimension W / H / D (In/mm)	$29^{3/4}$” / $24^{7/16}$” / $21^{7/8}$” (756mm / 620mm / 555mm)
Cut-Out Dimension W / H / D (In/mm)	$28^{7/16}$” / $24^{3/16}$” / $22^{1/4}$” (723mm / 614mm / 565mm)

Notes: Porter & Charles reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Warranties: Please see the Use & Care manual or Porter & Charles website for a statement of limited warranty. For more information on our entire line of products, go to www.porterandcharles.ca or call 905.829.3980 © Porter & Charles. All rights reserved.

SOPS76ECO

Installation Details

PRODUCT DIMENSIONS - W / H /D (INCH/MM)

29 3/4" / 24 7/16" / 21 7/8"

756mm / 620mm / 555mm

CUT-OUT DIMENSIONS W / H /D (INCH/MM)

28 7/16" / 24 3/16" / 22 1/4"

723mm / 614mm / 565mm



*VOID CUT OUT

- If the oven is mounted in a tall or semi-tall cabinet, there must be a minimum gap of 19/16" (4cm) cut out of the shelf and behind the upper cabinet to allow air to flow freely.
- A void must be cut-out in the shelf of the cabinet. Leave 4" of shelf material around the void.
- Additional support must be added to the shelf with the void. The support must be able to withstand the oven weight.
- If sufficient air flow is not provided, the life of the appliance will be shortened.
- Cut out in the toe kick is required for adequate airflow.
- Bottom vent grill (7427640) available

FALSE BACKS

- Install false backs for storage spaces. This will prevent contents from falling through the vent space. In addition, warm air will not interfere with store contents.

IMPORTANT

- P&C ovens are supplied with a 5' long electrical cable and must be hard wired to the electrical supply
- P&C ovens uses the following wires: RED & BLACK: Live Wires GREEN: Ground, The Neutral (White) wire is not required for the electrical installation



RECOMMENDED UNDER COUNTER DIMENSIONS

Airflow Requirements

- If the oven is being placed under the counter, there must be a minimum gap of 1 9/16" (4cm) cut out of the shelf behind the oven to allow air to flow freely.
- A void must be cut out in the shelf of the cabinet. Leave 4" of shelf material around the void.
- Additional support must be added to the shelf with the void. The support must be able to withstand the oven weight.
- If insufficient airflow is provided, the life span of the appliance will be shortened.
- Cut out in the toe kick is required for adequate airflow
- Optional bottom vent grill (7427640) available model.

Notes: Porter & Charles reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Warranties: Please see the Use & Care manual or Porter & Charles website for a statement of limited warranty. For more information on our entire line of products, go to www.porterandcharles.ca or call 905.829.3980 © Porter & Charles. All rights reserved.

WARRANTY INFORMATION

Porter & Charles Appliances are designed and manufactured to the highest standards. Each appliance is covered by a comprehensive 2-year parts and labour warranty. Refer to product warranty policy for complete terms and conditions.

FOR PARTS & SERVICE

Euro-Parts & Service
39822 Belgrave Road, Belgrave, ON. N0G 1E0 1 866 722 2262
www.euro-parts.ca • parts@euro-parts.ca • service@euro-parts.ca

Porter & Charles appliances are imported and distributed in North America by Euro-Line Appliances Inc. For more information, please visit one of our showrooms or www.ela.ca

EURO-LINE APPLIANCES INC.

871 Cranberry Court, Oakville, ON
L6L 6J7 Canada
905.829.3980
1-800.421.6332
info@ela.ca

EURO-LINE APPLIANCES INC.

101-1014 Homer Street, Vancouver, BC
V6B 2W9, Canada
604.235.3980
1-855.ELA.WEST (352.9378)
infowest@ela.ca

Notes: Porter & Charles reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Warranties: Please see the Use & Care manual or Porter & Charles website for a statement of limited warranty. For more information on our entire line of products, go to www.porterandcharles.ca or call 905.829.3980 © Porter & Charles. All rights reserved.